



<b>Name</b>	Ichiro YASUDA	
<b>Country</b>	Japan	
<b>Organization</b>	Third department of Internal Medicine, University of Toyama	
<b>Current Position</b>	Director & Professor	

### Educational Background

2002: Ph.D. (Dr. of Medical Science), Gifu University, Japan

1990: M.D. Gifu University School of Medicine, Japan

### Professional Experiences

2018- present: Director & Professor, Third Dept. of Internal Medicine, University of Toyama, Japan  
 2014- 2018: Director & Professor, Dept. of Gastroenterology, Teikyo University Mizonokuchi Hospital, Japan  
 2012- 2014: Associate Professor, First Dept. of Internal Medicine, Gifu University Hospital, Japan  
 2008- 2012: Lecturer, First Dept. of Internal Medicine, Gifu University Hospital, Japan  
 2005- 2007: Assistant Professor, First Dept. of Internal Medicine, Gifu University Hospital, Japan  
 2004- 2005: Assistant Professor, Div. of Endoscopy, Gifu University Hospital, Japan  
 2003- 2004: Medical Staff, First Dept. of Internal Medicine, Gifu University Hospital, Japan  
 2002- 2003: Dept. of Interdisciplinary Endoscopy, University Hospital Hamburg-Eppendorf, Germany  
 1998- 2002: Medical Staff, First Dept. of Internal Medicine, Gifu University Hospital, Japan  
 1993- 1998: Medical Staff, Dept. of Gastroenterology, Gifu Municipal Hospital, Japan  
 1992- 1993: Clinical Fellow, Dept. of Internal Medicine, Fujita Health University, Japan  
 1991- 1992: Resident, Dept. of Gastroenterology, Gifu Municipal Hospital, Japan  
 1990- 1991: Resident, First Dept. of Internal Medicine, Gifu University Hospital, Japan  
 1990: Passed the Examination of Japanese National Board

### Professional Organizations

Japan Gastroenterological Endoscopy Society (JGES)

Japanese Society of Gastroenterology (JSGE)

Japan Biliary Association (JBA)

Japan Pancreas Society (JPS)

Japanese Society of Internal Medicine

American Society for Gastrointestinal Endoscopy (ASGE)

European Society of Gastrointestinal Endoscopy (ESGE)

### Main Scientific Publications (Recent 3 years)



---

Current status and future perspectives of interventional endoscopic ultrasonography in Japan.

Yasuda I, Ryozawa S, Dung HDQ.

**Dig Endosc. 2019;31 Suppl 1:47-49.**

EUS-guided hybrid rendezvous technique as salvage for standard rendezvous with intra-hepatic bile duct approach.

Iwashita T, Uemura S, Yoshida K, Mita N, Tezuka R, Yasuda I, Shimizu M.

**PLoS One 2018 Aug 22;13(8):e0202445.**

Asia-Pacific consensus recommendations on endoscopic tissue acquisition for biliary strictures.

Sun B, Moon JH, Cai Q, Rerknimitr R, Ma S, Lakhtakia S, Ryozawa S, Kutsumi H, Yasuda I, Shiomi H, Li X, Li W, Zhang X, Itoi T, Wang HP, Qian D, Wong Lau JY, Yang Z, Ji M, Hu B; Asia-Pacific ERCP Club.

**Aliment Pharmacol Ther 2018;48(2):138-151.**

Consensus guidelines on the optimal management in interventional EUS procedures: Results from the Asian EUS group RAND/UCLA expert panel

Teoh AYB, Dhir V, Kida M, Yasuda I, Dong Z, Seo DW, Almadi M, Ang TL, Hara K, Hilmi I, Lakhtakia S, Matsuda K, Pausawasdi N, Puri R, Tang RSY, Wang HP, Yang AM, Hawes R, Varadarajulu S, Yasuda K, Ho KY.

**Gut 2018;67(7):1209-1228.**

Hybrid procedure combining endoscopic gallbladder lavage and internal drainage with elective cholecystectomy for acute cholecystitis: a prospective pilot study (The BLADE study).

Doi S, Yasuda I, Mabuchi M, Iwata K, Ando N, Iwashita T, Uemura S, Okuno M, Mukai T, Adachi S, Taniguchi K.

**Dig Endosc 2018;30(4):501-507.**

Comparison of late adverse events after endoscopic sphincterotomy versus endoscopic papillary large balloon dilation for common bile duct stones: A propensity score-based cohort analysis.

Maruta A, Iwashita T, Uemura S, Yoshida K, Iwata K, Mukai T, Doi S, Yasuda I, Imai K, Shimizu M.

**Dig Endosc 2018;30(4):493-500.**

Current strategies for the endoscopic management of difficult-to-treat bile duct stones in Japan

Ryozawa S, Yasuda I.

**Dig Endosc 2018 Apr;30 Suppl 1:54-58.**

A 19-Gauge Histology Needle Versus a 19-Gauge Standard Needle in Endoscopic Ultrasound-Guided Fine-Needle Aspiration for Solid Lesions: A Multicenter Randomized Comparison Study (GREATER Study).

Iwashita T, Nakai Y, Mukai T, Togawa O, Matsubara S, Hatano Y, Hara A, Tanaka M, Shibahara J, Fukayama M, Isayama H, Yasuda I.

**Dig Dis Sci. 2018 Apr;63(4):1043-1051.**

Retrograde pancreatic stent extrusion through the endoscopic ultrasound-guided pancreaticogastrostomy route

Doi S, Mabuchi M, Tsujikawa T, Sekine K, Yasuda I.

**VideoGIE. 2017;2(12):353-355.**

Low diagnostic yield of transduodenal endoscopic ultrasound-guided fine needle biopsy using the 19-gauge flex needle: A large multicenter prospective study

Attili F, Fabbri C, Yasuda I, Fuccio L, Palazzo L, Tarantino I, Dewitt J, Frazzoni L, Rimbaş M, Larghi A.

**Endoscopic Ultrasound 2017; 6(6): 402-408.**

Asia-Pacific Consensus Guidelines for Endoscopic Management of Benign Biliary Strictures.

Hu B, Sun B, Cai Q, Wong Lau JY, Ma S, Itoi T, Moon JH, Yasuda I, Zhang X, Wang HP, Ryozawa S, Rerknimitr R, Li W, Kutsumi H, Lakhtakia S, Shiomi H, Ji M, Li X, Qian D, Yang Z, Zheng X.

**Gastrointest Endosc 2017; 86(1): 44-58.**

EUS-guided celiac plexus block and neurolysis.

Yasuda I, Wang HP.

**Dig Endosc 2017;29(4):455-462.**

Endoscopic ultrasound-guided antegrade biliary stenting for unresectable malignant biliary obstruction in patients with surgically altered anatomy: a single-center prospective pilot study.

Iwashita T, Yasuda I, Mukai T, Iwata K, Doi S, Uemura S, Mabuchi M, Okuno M, Shimizu M.

**Dig Endosc 2017;29(3):362-368.**

Prospective randomized study of endoscopic biliary stone extraction using either a basket or a balloon catheter: the BasketBall study.

---



Ozawa N, Yasuda I, Doi S, Iwashita T, Shimizu M, Mukai T, Nakashima M, Ban T, Kojima I, Matsuda K, Matsuda M, Ishida Y, Okabe Y, Ando N, Iwata K.

**J Gastroenterol. 2017; 52(5), 623-630.**

Current strategies for endoscopic management of acute cholangitis

Isayama H, Yasuda I, Tan D

**Dig Endosc. 2017; 29 (Suppl. 2): 70-77.**

International Consensus Recommendations for Difficult Biliary Access.

Liao WC, Angsuwatcharakon P, Isayama H, Dhir V, Devereaux B, Khor CJ, Ponnudurai R, Lakhtakia S, Lee DK, Ratanachu-Ek T, Yasuda I, Dy FT, Ho SH, Makmun D, Liang HL, Draganov PV, Rerknimitr R, Wang HP.

**Gastrointest Endosc 2017 Feb;85(2):295-304.**

No Benefit of Oral Diclofenac on Post-Endoscopic Retrograde Cholangiopancreatography Pancreatitis.

Ishiwatari H, Urata T, Yasuda I, Matsusaki S, Hisai H, Kawakami H, Ono M, Iwashita T, Doi S, Kawakubo K, Hayashi T, Sonoda T, Sakamoto N, Kato J.

**Dig Dis Sci 2016 Nov;61(11):3292-3301.**

The Asian consensus statements on endoscopic management of walled-off necrosis Part2: Endoscopic management.

Isayama H, Nakai Y, Rerknimitr R, Khor C, Lau J, Wang HP, Seo DW, Ratanachu-Ek T, Lakhtakia S, Ang TL, Ryozawa S, Hayashi T, Kawakami H, Yamamoto N, Iwashita T, Itokawa F, Kuwatani M, Kitano M, Hanada K, Ponnudurai R, Moon JH, Itoi T, Yasuda I, Irisawa A, Maetani I.

**J Gastroenterol Hepatol 2016;31(9):1555-65.**

The Asian consensus statements on endoscopic management of walled-off necrosis Part1: Epidemiology, diagnosis and treatment.

Isayama H, Nakai Y, Rerknimitr R, Khor C, Lau J, Wang HP, Seo DW, Ratanachu-Ek T, Lakhtakia S, Ang TL, Ryozawa S, Hayashi T, Kawakami H, Yamamoto N, Iwashita T, Itokawa F, Kuwatani M, Kitano M, Hanada K, Ponnudurai R, Moon JH, Itoi T, Yasuda I, Irisawa A, Maetani I.

**J Gastroenterol Hepatol 2016;31(9):1546-54.**

Pilot study of a novel, large-bore, fully covered self-expandable metallic stent for unresectable distal biliary malignancies: The NEWCOMER-12 Study.

Mukai T, Yasuda I, Isayama H, Iwashita T, Kawakami H, Itoi T, Kogure H, Nakai Y.

**Dig Endosc 2016; 28(6):671-9.**

The significance of phosphorylated heat shock protein 27 on the prognosis of pancreatic cancer.

Okuno M, Yasuda I, Adachi S, Nakashima M, Kawaguchi J, Doi S, Iwashita T, Hirose Y, Kozawa O, Yoshimi N, Shimizu M, Moriwaki H.

**Oncotarget 2016;7(12):14291-9.**

Diagnostic and therapeutic single-operator cholangiopancreatostomy in biliopancreatic diseases: Prospective multicenter study in Japan.

Kurihara T, Yasuda I, Isayama H, Tsuyuguchi T, Yamaguchi T, Kawabe K, Okabe Y, Hanada K, Hayashi T, Ohtsuka T, Oana S, Kawakami H, Igarashi Y, Matsumoto K, Tamada K, Ryozawa S, Kawashima H, Okamoto Y, Maetani I, Inoue H, Itoi T.

**World J Gastroenterol. 2016 Feb 7;22(5):1891-901.**

Significance of Endoscopic Sphincterotomy Preceding Endoscopic Papillary Large Balloon Dilatation in the Management of Bile Duct Stones.

Okuno M, Iwashita T, Yoshida K, Maruta A, Uemura S, Nakashima M, Mukai T, Ando N, Iwata K, Horibe Y, Adachi S, Mabuchi M, Doi S, Yasuda I, Shimizu M.

**Dig Dis Sci. 2016;61(2):597-602.**

International consensus guidelines for endoscopic papillary large-balloon dilation.

Kim TH, Kim JH, Seo DW, Lee DK, Reddy ND, Rerknimitr R, Ratanachu-Ek T, Khor CJ, Itoi T, Yasuda I, Isayama H, Lau JY, Wang HP, Chan HH, Hu B, Kozarek RA, Baron TH.

**Gastrointest Endosc 2016;83(1):37-47.**

EUS-guided rendezvous for difficult biliary cannulation using a standardized algorithm: a multicenter prospective pilot study (with videos).